Customer:

[redacted]

Ceralyse GmbH
Sachverständige für tierische,
pflanzliche, mineralogische
Wachse und Wachsprodukte

Certificate of Analysis	: **P-3085-01-02 /22**
Sample Number	: P-3085-01-02
Receipt of Sample	: 21.09.2022
Specification of Sample	: beeswax, yellow
	: -01) Lot Nr. K237001-BW0922-AU-1-10
	-02) Lot Nr. K237001-BW0922-AU-11-20
Amount of sample	: each about 150g
Collection of Sample	: Customer
Sample Container	: bag of PE
Sub-Contracts	: none
Remarks	: The results only apply to the tested items stated below. It is not allowed to copy parts of this certificate of analysis separately.

Certificate of Analysis : P-3206-01-02 /22

Parameter	Value **P-3206-01** K237001-BW0922-AU-1-10	Target Value
Total Hydrocarbons DGF M-V-6 (mod.)	13.7 %	≤ 14.5 %
GC-Fingerprint In-House Method	The GC indicates no adulterations	
Judgement The content of total hydrocarbons and the GC-Fingerprint comply with a pure beeswax and indicate no adulterations.		
Bleachability In-House Method	The bleachability of the beeswax with fullers earth is moderate. The colour of the bleached beeswax is ivory.	

The expanded measurement uncertainty is +/- 0.5 % in total, K2 / U_{95}

Parameter	Value **P-3206-02** K237001-BW0922-AU-11-20	Target Value
Total Hydrocarbons DGF M-V-6 (mod.)	13.9 %	≤ 14.5 %
GC-Fingerprint In-House Method	The GC indicates no adulterations	
Judgement The content of total hydrocarbons and the GC-Fingerprint comply with a pure beeswax and indicate no adulterations.		

The expanded measurement uncertainty is +/- 0.5 % in total, K2 / U_{95}

23.09.2022 Dr. Ingo Scholz

Chemische Untersuchungen · Sachverständige für Wachse u. Wachsprodukte · Labor Ceralyse Dipl. Ing. Hj. Roth Dr. rer. nat. L. Märtin Dr. rer. nat. I. Scholz

.

Ceralyse GmbH
Am Holzhof 54
29221 Celle, Germany
Tel.: +49 5141 6068
ceralyse@ceralyse.de

Sitz der Gesellschaft: Celle
Geschäftsführer: Dr. Ingo Scholz
Handelsregister: Lüneburg HRB 209457
St.- Nr.: 17/200/20903
USt-IdNr.: DE340121663

Bank: Volksbank Hannover
IBAN: DE79 2519 0001 0933 2375 00
BIC / SWIFT : VOHADE2H

Quality Management
ISO 9001
DEKRA Certified
www.dekra-seal.com